

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S78	677	(group\$4 cluster\$4) same (instance component templat\$4).same (data\$bus data\$path data adj (bus path)) same control	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 09:48
S79	111	S78 and vector	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:49
S80	38	S79 and @ad<="19981106"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:49
S81	7	S73 and S79	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:59
S83	139	(map\$4 cluster group\$4) with (instance tempate) same shar\$3 same ((common "same") near10 (node bus control adj signal identif\$3 indicator signature))	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 16:26
S85	11	716/1,2,8,12,18.ccls. and S83	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 10:03
S86	594	(map\$4 cluster group\$4) with (instance tempate) and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 16:31
S87	254	(map\$4 cluster group\$4) with (instance tempate) and 716/1,2,18.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 16:44
S88	21807	shar\$3 same ((common "same") near10 (node bus control adj signal identif\$3 indicator signature))	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 16:32
S89	23	S87 and S88	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 16:41
S90	254	S87 and ad@<="19981106"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 16:41
S91	50	S87 and @ad<="19981106"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 16:46
S92	5	S91 and control adj signal	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 16:44

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	4757	(data\$bus data\$path data adj (bus path)) same (signatur\$3 identifier indicator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 16:46
S3	2094	S2 and (vector pattern)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 15:41
S4	25842	(data\$bus data\$path data adj (bus path)) same (control adj2 signal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 16:43
S5	738	S3 and S4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 15:42
S6	11	716/1,2,18.ccls. and S5	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 17:57
S17	1754189	(vector data\$structure instance template data adj structure bit\$stream bit adj stream)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 16:50
S19	58997	(data\$bus data adj bus) and ((control enable) adj2 signal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 16:45
S20	58997	((data\$bus data adj bus) and ((control enable) adj2 signal))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 16:46

EAST Search History

S21	25243	S17 and S20	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 16:46
S22	3485	(data\$bus data adj bus) same (signatur\$3 identifier indicator)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 16:47
S23	1218	S21 and S22	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 16:47
S24	223	S23 and connectivity	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 16:47
S25	2	716/1,2,18.ccls. and S24	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 16:52
S28	6100	(vector data\$structure instance template data adj structure bit\$stream bit adj stream) same (signal and (connection or connectivity) and (signatur\$3 identifier indicator))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 17:04
S29	97	716/1,2,18.ccls. and S28	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 16:52
S30	12	S29 and @ad<"19981106"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 16:53

EAST Search History

S31	68	S28 and macro\$cell	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 17:17
S32	58	S31 and control adj signal	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 17:05
S33	6	S32 and "716"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 17:05
S34	587	716/1,18.ccls. and vector	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 17:30
S35	875	716/1,18.ccls. and (vector macro data\$structure)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 18:10
S36	19	716/1,18.ccls. and (vector macro data\$structure) same (control adj signal and connect\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 17:32
S37	231	(data\$bus data adj bus) adj2 (identif\$4 signature indicator) and (control adj2 signal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 17:59
S38	29	(data\$bus data adj bus) adj2 (identif\$4 signature indicator) same (control adj2 signal)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 18:10

EAST Search History

S39	4	716/1,18.ccls. and (vector macro data\$structure) same (circuit adj structure)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 18:12
S40	17	716/1,18.ccls. and (vector pattern) same (circuit adj structure)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 18:19
S41	2207	(vector pattern) same (circuit adj structure)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/31 18:19
S42	1016	(vector pattern) with (circuit adj structure)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 06:08
S43	95497	(generat\$4 with (vector data\$structure data adj structure))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 06:28
S44	23329	(extract\$4 with (vector data\$structure data adj structure))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 06:13
S45	38545	((signitur\$4 identif\$3 idicat\$3) with (vector data\$structure data adj structure))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 06:14
S46	4050	716/1,2,17,18.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 06:14

EAST Search History

S47	9247	S43 and S44	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 06:14
S48	2693	S45 and S47	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 06:15
S49	21	S46 and S48	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/01 06:24
S58	20727	(instance component template) same control same vector	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:27
S59	9630	(group\$4 cluster\$4) same vector same (instance component templat\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:28
S60	1946	S58 and S59	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:30
S61	20	(group\$4 cluster\$4) same vector same (instance component templat\$4) same (data\$bus data\$path data adj (bus path)) same control	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:48
S62	1946	S60 and S60	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:30
S63	20	S60 and S61	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:30
S65	39934	instance and template and vector	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:33
S66	3885	S59 and S65	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:33
S67	4840	(group\$4 cluster\$4) same (data\$bus data\$path data adj (bus path)) same control	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:34

EAST Search History

S69	9107	generating with (pattern template) same circuit	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:40
S70	14	S60 and S69	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:38
S71	116	S58 and S69	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:40
S72	9	S71 and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:40
S73	261	716/1,2,8,12,18.ccls. and (instance and template)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 10:03
S74	110	S73 and vector	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:49
S75	54	S74 and (control and data\$bus data\$path data adj (bus path))	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:45
S76	53	S75 and (group\$4 cluster\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:46
S77	19	S76 and @ad<="19981106"	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 09:49

EAST Search History

S93	5548	(map\$4 cluster group\$4) with (instance tempate) and control adj signal	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 17:45
S98	3777	arrang\$4 with (circuit component element instance template) and (routing and placement)	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 17:29
S99	146	S93 and S98	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 17:18
S10 0	12	S99 and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 17:46
S10 3	1584	(re\$arrang\$4 arrang\$4) with (cell) with regular\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 17:44
S10 4	22785	(map\$4 cluster group\$4) with (instance tempate cell) and control adj signal	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 17:46
S10 5	181	S103 and S104	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 17:46
S10 6	6	S105 and "716"/\$.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/02/01 17:52

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	198554	((memory bit leaf) near2 (cell instance template))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 08:58
L2	46860	((memory bit leaf) near2 (cell instance template)) same (map\$4 connect\$4 compil\$4 generat\$4 group\$4) same (control control adj (block signal) decod\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:00
L3	100697	((memory bit leaf) near2 (cell instance template)) same (map\$4 connect\$4 compil\$4 generat\$4 group\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:02
L4	2725048	(map\$4 connect\$4 compil\$4 generat\$4 group\$4) same (control control adj (block signal) and decod\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:03
L5	57429	L3 and L4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:03
L6	5355	L5 and (generat\$4 same (vector matrix))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:04
L7	61	L6 and (memory near2 compil\$4)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:08
L8	3538	L5 and (data\$bus data adj bus) same (address\$bus address adj bus)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:15

EAST Search History

L9	98	L8 and vector and templat\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:15
L10	53	L9 not "347"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:14
L11	14	L10 and @ad<"19991105"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:15
L12	5261	L6 not "347"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:14
L13	2496	L12 and @ad<"19991105"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:15
L14	298	L13 and (data\$bus data adj bus) same (address\$bus address adj bus)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:15
L15	12	L14 and vector and templat\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:16
L16	13	L14 and templat\$	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:16

EAST Search History

L17	180	L14 and vector	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:16
L18	29	L17 and ("716"/\$.ccls. "365"/\$.ccls.)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:17
L19	19	L18 not L11	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/02 09:17